

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37748	(sensor with sequenc\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:12
L2	133958	(clock\$4 near9 (synchroniz \$5))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:12
L3	1436	L1 L2	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:12
L4	1244	(select\$4 or choos\$4) with (acquisition near5 (mode or algorithm))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:38
L5	20918	(amplifica\$4 or amplif\$4) with (shap\$4) with (signal)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:39
L6	27	4 5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:39
L7	1697303	(packet or signal or waveform) near7 (generat\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:41
L8	12880	5 7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:41
L9	24923	(select\$4 or choos\$4) with (acquisition)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:42

L10	135	8 9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:42
L11	5401	5 same 7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:44
L12	15	10 11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:44
L13	2491217	(obtain\$4 or retriev\$4 or collect\$4 or acquir\$5 or acquisition) with (data or packet or information or signal)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:50
L14	10718	13 5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:50
L15	2963	11 14	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:51
L16	15	9 15	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:52
L19	939	5 same 7 same (select\$4 or choos\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:00
L20	2595	(select\$4 or choos\$4) with (acquisition near5 (method or mode))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:04
L21	3	11 20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:04
L22	13053	(amplifica\$4 or amplif\$4) near8 (shap\$4) near8 (signal)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:06

L23	1697303	(packet or signal or waveform) near7 (generat\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:06
L24	8146	22 23	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:06
L25	234987	"370"/\$.cls. or "709"/\$.cls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:07
L26	166	24 25	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:07
L27	139866	(acquisition near4 (data or signal or packet))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:07
L29	515	22 27	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:21
L30	1	((select\$4 or choos\$4) with (acquisition near5 (method or mode)) with (amplifica\$4 or amplif\$4) with (shap\$4) with (signal))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:26
L31	2	((select\$4 or choos\$4) with ((retriev\$4 or acquisition or obtain\$4 or acquir\$4 or collect \$4) near5 (method or mode)) with (amplifica\$4 or amplif\$4) with (shap\$4) with (signal))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:27
L32	5	((select\$4 or choos\$4) with ((retriev\$4 or acquisition or obtain\$4 or acquir\$4 or collect \$4) near5 (method or mode)) same (amplifica\$4 or amplif\$4) with (shap\$4) with (signal))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:27
L33	29	((select\$4 or choos\$4) near5 ((method or mode)) with (amplifica\$4 or amplif\$4) with (shap\$4) with (signal))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:31

L34	407031	sensor near8 (output)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:56
L35	133958	(clock\$4 near9 (synchroniz \$5))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:57
L36	609	(clock\$4 near9 (synchroniz \$5)) with (client or user or subscriber) with (server or master)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:57
L38	9	34 36	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 14:57
L39	512	(clock\$4 near9 (synchroniz \$5)) with (sensor) near9 (output)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 15:03
S1	174557	ethernet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:26
S2	9858	(clock\$4 with (correlat\$4))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:27
S3	133857	(clock\$4 near9 (synchroniz \$5))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:27
S6	342	S1 S2 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:28
S7	3420	370/503.cds.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:31
S8	23	S6 S7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:31

S9	26036795	((@rlad<"20040120" or @ad<"20040120" or @ptad<"20040120")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:32
S10	21	S8 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:32
S11	40861	(detect\$4) with (acquisition)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:35
S12	1	S10 S11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:35
S13	465861	(client or user or subscriber or node) with (server or master)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:36
S14	126	S6 S13	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:36
S15	100	S9 S14	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 13:36
S16	491	S1 S3 S11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 14:25
S17	314	S13 S16	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 14:25
S18	104222	370/241-253,503.ocls. or "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 14:25
S19	22	S17 S18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 14:25

S20	1210	(client or user or subscriber or node) with (server or master) with (clock) with (synchroniz\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:01
S21	113633	(client or user or subscriber or node) with (server or master) with (detect\$4 or obtain\$4 or acquisit\$4 or acquir\$4 or retriev\$4 or collect\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:02
S22	491	S20 S21	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:02
S23	145	S18 S22	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:02
S24	110	S23 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:08
S25	7407	(aknowledg\$4 or ack) with (synchroniza\$5 or clock or synchron\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:16
S26	4	S24 S25	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:16
S27	312	S18 S20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:17
S28	9	S25 S27	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:17
S29	10930	(client or user or subscriber or node) with (server or master) with (synchroniz\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:18
S30	427	S25 S29	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:18

S31	174	S30 clock\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:19
S32	73	S31 S18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:19
S33	46	S32 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 15:19
S34	4209	((synchroniza\$5 or syn) with (ack or acknowledg\$4))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:27
S37	465861	(client or user or subscriber or node) with (server or master)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:28
S38	2262	S34 S37	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:28
S39	1060	S38 S18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:28
S40	1507	S38 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:34
S41	529	S39 S1	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:35
S42	182	S41 clock\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:35
S43	68644	((synchroniza\$5 or syn) with (clock))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:38

S44	39	S42 S43	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:38
S45	204	server with synchroniza\$4 with (ack or acknowledg\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:41
S46	283	server with synchroniza\$4 with (ack or acknowledg\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:41
S47	123	S46 S1	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:41
S48	55	S47 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/02 19:42
S50	13007	(convert\$4 or convers\$5 or translat\$4 or transform\$4) with (electric\$4) with (partic \$4 or physical)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 12:59
S51	37748	(sensor with sequenc\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:10
S52	133958	(clock\$4 near9 (synchroniz \$5))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:11
S53	1436	S51 S52	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/03 13:11

EAST Search History (Interference)

< This search history is empty >

6/ 3/ 2010 6:06:35 PM